




**art.BD LVZO...** **MOBILE SUPPORTS BASES "BD LVZO" mod.10/40 for Compact Light supports** in anodized aluminium alloy plate.

The **BD LVZO FFP Standard** base normally used for the fitting of mobile Supports **LVZO** has all the holes threaded with the exception of four countersunk holes used for axial play adjustment. This version facilitates the assembly/dismantling of the Group together with allowing axial play adjustment of the nut from above the machine's "mobile carriage".

Supports Base **art.BD LVZO...FFP STANDARD** series.

**CHARACTERISTICS:**  
Fitting and axial play adjustment from above the carriage.



**Base BD LVZO...FFP**  
Used on Compact light Groups (see pages 110-115)


**Threaded holes "F" (shown as "FF" in the chart)**  
10 threaded holes for fitting the support and of the Base to the machine.

**Countersunk through holes "P" (shown as "FPL" in the chart)**  
4 countersunk through holes for adjusting axial play.

For special applications where different fitting is required we can, on request, supply versions with different hole configurations to the "Standard" whilst always produced anodized aluminium alloy, as illustrated below.

Supports Base **art.BD LVZO...FF** series with all holes threaded.


**CHARACTERISTICS:**  
Fitting above the carriage with axial play adjustment from below.



**Threaded holes "F" (shown as "FF" in the chart)**  
14 threaded holes for fitting the supports, of the Base to the machinery and axial play adjustment.

Supports Base **art.BD LVZO...FF/8** with 8 threaded holes.

**CHARACTERISTICS:**  
Fitting above the carriage with axial play adjustment from below.




**Threaded holes "F" (shown as "FF" in the chart)**  
8 threaded holes for fitting the support and axial play adjustment.

**Countersunk through holes "P" (shown as "FPL" in the chart)**  
6 holes for fitting to the Base to the machinery.

Supports Base **art.BD LVZO...FPL** series with 10 countersunk through holes.

**CHARACTERISTICS:**  
Fitting below the carriage with axial play adjustment from above.



**Threaded holes "F" (shown as "FF" in the chart)**  
4 threaded holes for fitting the support to the Base.

**Countersunk through holes "P" (shown as "FPL" in the chart)**  
10 for fitting and axial play adjustment.

To order, as well as adding the symbol of the holes required to the end of the **ARTICLE**, add to the **CODE** the number missing in reference to the holes.

**EXAMPLE:** holes mod. "FFP" = n."0" - mod. "FF" = n."1" - mod. "FF/8" = n."2" - mod. "FPL" = n."3" - Eg. art. **BD LVZO 10 FFP** = Cod. **300SAB3010**.

| MODELS        | CODE            | ARTICLE            | A   | B   | S  | F1  | F2 | F5  | FF  | FPL<br>Hex. Cap<br>screw seat | WEIGHT<br>Kg |
|---------------|-----------------|--------------------|-----|-----|----|-----|----|-----|-----|-------------------------------|--------------|
| mod. 10       | 300SAB3..10     | BD LVZO 10 ...     | 100 | 75  | 12 | 59  | 34 | 50  | M6  | M6x16                         | 0,245        |
| mod. 12 14    | 300SAB3..1214   | BD LVZO 1214 ...   | 110 | 80  | 12 | 64  | 34 | 60  | M6  | M6x16                         | 0,285        |
| mod. 16       | 300SAB3..16     | BD LVZO 16 ...     | 130 | 90  | 15 | 70  | 40 | 70  | M8  | M8x25                         | 0,460        |
| mod. 18       | 300SAB3..18     | BD LVZO 18 ...     | 140 | 100 | 15 | 80  | 45 | 75  | M8  | M8x25                         | 0,555        |
| mod. 20 22    | 300SAB3..2022   | BD LVZO 2022 ...   | 155 | 100 | 15 | 80  | 50 | 85  | M8  | M8x25                         | 0,575        |
| mod. 24 25 26 | 300SAB3..242526 | BD LVZO 242526 ... | 180 | 130 | 20 | 95  | 50 | 100 | M10 | M10x30                        | 1,170        |
| mod. 28 30 32 | 300SAB3..283032 | BD LVZO 283032 ... | 185 | 130 | 20 | 100 | 50 | 105 | M10 | M10x30                        | 1,270        |
| mod. 35 36    | 300SAB3..3536   | BD LVZO 3536 ...   | 210 | 140 | 20 | 110 | 70 | 110 | M10 | M10x30                        | 1,500        |
| mod. 40       | 300SAB3..40     | BD LVZO 40 ...     | 230 | 160 | 25 | 125 | 65 | 130 | M12 | M12x35                        | 2,350        |

